

Encounter Form: Loss of Consciousness

Institution: _____

Name: _____ CDCR# _____ DOB _____ Date/Time _____

Fill in the blanks and check all that apply

SUBJECTIVE:

Chief Complaint: _____

Circumstances surrounding loss of consciousness:

Obtain information from witnesses about events leading up to loss of consciousness:

Suspected drug overdose Seizure Physical trauma

Info from the patient: _____

Date/Time: _____ Patient found Of onset

History of: Diabetes Seizures disorder

Psychiatric illness Previous episode of LOC

Head trauma Alcohol use Drug abuse

Pain: Scale of 0-10 (0=no pain 10=worst pain) _____

Area of pain: _____

What makes it better/worse? _____

Chronic illnesses: _____

Allergies: _____

Current medications: _____


OBJECTIVE:

ABCs present

Vital Signs

| Time | BP | Pulse | Resp | O ₂ Sat. |
|------|----|-------|------|---------------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Pupil Size



| Time | Circle and describe |
|------|---------------------|
| | PERL Abnormal _____ |
| | PERL Abnormal _____ |
| | PERL Abnormal _____ |
| | PERL Abnormal _____ |

Glasgow Coma Scale (GCS)

| Parameter | Finding | Score |
|-------------------------------------|-----------------------|-------|
| Eye Opening | Spontaneously | 4 |
| | To speech | 3 |
| | To pain | 2 |
| | Do not open | 1 |
| Best Verbal Response | Oriented | 5 |
| | Confused | 4 |
| | Inappropriate speech | 3 |
| | Unintelligible speech | 2 |
| | No verbalization | 1 |
| Best Motor Response | Obeys command | 6 |
| | Localized pain | 5 |
| | Withdraws from pain | 4 |
| | Abnormal flexion | 3 |
| | Abnormal extension | 2 |
| | No motor response | 1 |
| Interpretation: best = 15 worst = 3 | | |

| Glasgow Coma Scale | | | | |
|--|--------|--------|--------|--------|
| Time | | | | |
| Eye Opening | | | | |
| Best Verbal Response | | | | |
| Best Motor Response | | | | |
| Glasgow Coma Score | | | | |
| Oriented to time, person, place, situation | Y N | Y N | Y N | Y N |

Check for head trauma involving scalp lacerations, hematomas, and bony deformities of the skull: (describe)

Fresh needle marks (describe): _____

Breath odor: Alcohol Acetone

Fingerstick blood glucose: (time/results) _____

ASSESSMENT:

Altered mental state related to/evidenced by: _____

Alteration in tissue perfusion, cerebral, related to/evidenced by: _____

Additional Comments: _____

Signature/Title

Encounter Form: Loss of Consciousness

Institution: _____

Name: _____ CDCR# _____ DOB _____ Date/Time _____

Fill in the blanks and check all that apply

PLAN:

Provide BLS (Basic Life Support) if indicated.

Maintain a patent airway:

- Oral airway used Nasopharyngeal airway used
- Assisted ventilation
- Applied C-spine collar before moving the patient if trauma evident or suspected.
- Applied pressure dressing to any open bleeding wound.
- If the patient is unconscious with stable vital signs, place in a left lateral decubitus position, unless C-spine precautions are indicated.
- O₂ at 2-6 L/minute to maintain oxygen saturation ≥ 90
 - cannula rebreather mask at _____l/min to maintain O₂ Sat ≥ 90%.
- Pulse oximeter reading on O₂ _____
- Notify the physician **STAT**.
 - Physician called (name/time) _____
 - Physician responded (time) _____
- Start IV Sodium Chloride Intravenous Solution (0.9%) at TKO started at (time) _____ in (location) _____ using (needle) _____
- If fingerstick blood glucose is below 50 mg/dl, administer 50 ml of 50% dextrose IV push over 2 minutes. May administer Glucagon 1 mg IM if unable to gain IV access.** FSBS: _____
 - 50 ml of 50% dextrose IV push over 2 minutes given at (time): _____
 - FS glucose after medication: _____ (time) _____
 - Glucagon 1mg IM (time) _____ (location) _____
 - FS glucose after medication: _____ (time) _____
- If history or physical findings suggest an opiate overdose,
 - Naloxone Intranasal 4 mg #1 L R Nostril
 - Naloxone Intranasal 4 mg #2 L R Nostril
 - Naloxone Intranasal 4 mg #3 L R Nostril
 - Naloxone Intranasal 4 mg #4 L R Nostril
 - Naloxone Intranasal 4 mg #5 L R Nostril

Alternately, administer

- Naloxone 0.8 mg given IV IM (if unable to obtain IV access) (time) _____ (location) _____
- Dose # 2 Naloxone 0.8 mg given IV IM (if unable to obtain IV access) (time) _____ (location) _____
- Dose # 3 Naloxone 0.8 mg given IV IM (if unable to obtain IV access) (time) _____ (location) _____
- Dose # 4 Naloxone 0.8 mg given IV IM (if unable to obtain IV access) (time) _____ (location) _____
- Dose # 5 Naloxone 0.8 mg given IV IM (if unable to obtain IV access) (time) _____ (location) _____

- Monitor vital signs, neurologic status, and oxygen saturation at least every 15 minutes.

| Time | BP | Pulse | Resp. | O ₂ Sat. | Peak flow |
|------|----|-------|-------|---------------------|-----------|
| | | | | | |
| | | | | | |
| | | | | | |

- Prepare to transfer the patient to an outside facility or admit to a facility capable of providing a higher level of care.
- Fax a copy of the relevant progress notes, physician orders, and emergency care flow sheet to the receiving facility.

EDUCATION:

- Assess the patient's potential for understanding the health information to be provided.
- Provide the patient education consistent with the assessment of the condition.
- Document the education provided and the patient's level of understanding on the emergency care flow sheet.
- Refer the patient to other resources as needed. Document all referrals on the emergency care flow sheet.
- Advise the patient to utilize the urgent/emergent process to access medical care if symptoms recur.

Patient instructed in:

- Use of medication
- Use of alcohol and/or drugs
- Importance of keeping scheduled appointments
- Wound care: _____
- _____
- Other: _____
- _____

- Resubmit a CDC 7362, Health Care Service Request Form if: loss of consciousness; dizziness; seizures; aura; or: _____
- Patient Health Care Education Forms given to patient: (specify) _____
- _____
- Education deferred due to patient condition.

Encounter Form: Loss of Consciousness

Institution: _____

Name: _____ CDCR# _____ DOB _____ Date/Time _____

Fill in the blanks and check all that apply

DISPOSITION

Time released: _____

Condition on release: _____

Returned to housing unit

Housing reassignment to: _____

Referred for follow-up

Physician clinic RN clinic

Referred to higher level of care: (specify) _____

Person/time contacted: _____

Records faxed to facility

Time/Mode of transfer: _____

ERV contacted (time) _____

ERV arrived (time) _____

Name of Protocol(s) used: _____

Signature / Title

Additional Comments: _____

Signature / Title

- | | | |
|---|---|---|
| 1. Disability Code: <input type="checkbox"/> TABE score ≤ 4.0 <input type="checkbox"/> DPH <input type="checkbox"/> DPV <input type="checkbox"/> LD <input type="checkbox"/> DPS <input type="checkbox"/> DNH <input type="checkbox"/> DNS <input type="checkbox"/> DDP <input type="checkbox"/> Not Applicable | 2. Accommodation: <input type="checkbox"/> Additional time <input type="checkbox"/> Equipment <input type="checkbox"/> SLI <input type="checkbox"/> Louder <input type="checkbox"/> Slower <input type="checkbox"/> Basic <input type="checkbox"/> Transcribe <input type="checkbox"/> Other* | 3. Effective Communication: <input type="checkbox"/> P/I asked questions <input type="checkbox"/> P/I summed information Please check one: <input type="checkbox"/> Not reached* <input type="checkbox"/> Reached <small>*See chrono/notes</small> |
| 4. Comments: _____ | | |