



COVID-19 and Seasonal Influenza: Interim Guidance for Health Care and Public Health Providers

CONTROL STRATEGIES FOR CONTACTS TO CASES

Table 13.1: Recommended Housing Based on Patient Exposures			
	Patient has:	Considered:	Housing should be:
CONTACTS	Exposure to influenza-like illness (ILI), unknown diagnosis	Contact to ILI	Quarantine alone, solid walls, solid doors if possible; cohort up to 10 patients who were contacts to the same case
	Exposure to confirmed COVID-19	Contact to COVID-19	Quarantine alone, solid walls, solid doors if possible; cohort up to 10 patients who were contacts to the same COVID-19 index case
	Exposure to confirmed influenza	Contact to influenza	Quarantine alone or in the smallest possible cohort with other contacts to the same index case of influenza only
	Exposure to confirmed COVID/influenza coinfection	Contact to both COVID + influenza	Quarantine alone, solid walls, solid doors if possible; cohort up to 10 patients who were contacts to the same COVID-19 and influenza index case

Excerpted from the Control Strategies for Contacts to Cases section of the COVID-19 and Seasonal Influenza: Interim Guidance for Health Care and Public Health Providers: <https://cchcs.ca.gov/covid-19-interim-guidance/>

Revised: October 6, 2020